Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	591009	340/539.26, "933", "903", "505", "3.1", "3.43", "3.5", "10"."""1". CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:39
S2	59242	S1 AND controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:19
S3	5928	S2 and transmit near4 receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:20
S4	4316	S3 and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S5	1604	S4 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S6	307	S5 and train	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S7	179	S6 and consist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S8	16	S7 and determine adj4 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:23
S9	5	("6400281").URPN.	USPAT	OR	OFF	2005/03/14 16:24

S10	35	("2748266" | "3628147" | "4511958" | "4553723" | "4582280" | "4638298" | "4723737" | "4799052" | "4947484" | "5010332" | "5039038" | "5077554" | "5265832" | "5311512" | "5347515" | "5351919" | "5377938" | "5408679" | "5420883" | "5428603" | "5434984" | "5435505" | "5448563" | "5465081" | "5481532" | "5481535" | "5481539" | "5570284" | "5592482" | "5592483" | "5651517" | "5681015" | "5720455" | "5835005").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:26
S11	4	("3721820" | "4689602" | "4702291" | "4825189").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:31
S12	5	("5039038" | "5053964" | "5374015" | "5377938" | "5570284").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:33
S13	1302	340/933	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:45
S14	42	S13 and train near4 order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:34
S15	9	("3721820" | "4041470" | "4689602" | "4702291" | "4825189" | "5168273" | "5651517" | "5777547" | "5815823").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:35
S16	3	("5966084").URPN.	USPAT	OR	OFF	2005/03/14 16:36
S17	11	("5530328" | "5581246" | "5581472" | "5651517" | "5673876" | "5777547" | "5907193" | "5966084" | "5967465" | "5986577" | "6012681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:37
S18	9	("3721820" | "4041470" | "4689602" | "4702291" | "4825189" | "5168273" | "5651517" | "5777547" | "5815823").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:40

S19	15	("3721820" | "4041470" | "4689602" | "4702291" | "4825189" | "5168273" | "5361070" | "5457394" | "5510800" | "5512834" | "5603556" | "5630216" | "5651517" | "5777547" | "5986579").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:41
S20	11	("5530328" | "5581246" | "5581472" | "5651517" | "5673876" | "5777547" | "5907193" | "5966084" | "5967465" | "5986577" | "6012681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:45
S21	5	("5986577").URPN.	USPAT	OR	OFF	2005/03/14 16:49
S22	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:26
S23	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:31
S24	6	("3777305" | "4853863" | "4862152" | "5359575" | "5504477" | "5973996").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 09:50
S25	271	intelligent adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:50
S26	448	smart adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:51
S27	3	S25 and calculate adj3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:52
S28	1	S26 and calculate adj3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:51

S29	0	S25 and communicate near4 other	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:53
S30	0	S26 and communicate near4 other	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:54
S31	11	S25 and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:54
S32	43	S26 and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:01
S33	19	S25 and mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:02
S34	54	S26 and mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:17
S35	4	S33 and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S36	1	S33 and location near4 determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:07
S37	2	S33 and location near4 determines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:07
S38	1	S34 and location near4 determines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:06

S39	3	S34 and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:05
S40	4073385	d	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S41	0	S34 and location near4 determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S42	49	S26 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:30
S43	33	S25 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:18
S44	44	S26 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S45	17	S25 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S46	21	S42 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:25
S47	8	S43 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S48	17	S46 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:22

S49	7	S47 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:21
S50	0	S49 and ultrasound	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:20
S51	5	S49 and ultrasonic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:21
S52	0	S48 and ultrasonic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:20
S53	12	S25 and rack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:31
S54	12	S26 and rack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:31
S55	0	("6493649").URPN.	USPAT	OR	OFF	2005/03/29 10:34
S56	299	racks and cooling adj fluid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:38
S57	128	S56 and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:34
S58	0	S57 and smart same intelligent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:35
S59	0	S57 and smart same intelligent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:35

S60	2	S57 and transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:36
S61	0	("2004/0008113").URPN.	USPAT	OR	OFF	2005/03/29 10:37
S62	2	S56 and transmitter near4 receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:38
S63	13966	las	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S64	784	S63 and transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S65	312	S64 and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S66	2	S65 and calculate near4 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:40
S67	12	S65 and racks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:42
S68	63	S26 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:43
S69	34	S25 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:49
S70	42	S25 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:03

S71	99	S26 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:51
S72	0	("2004/0028023").URPN.	USPAT	OR	OFF	2005/03/29 11:01
S73	205074	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S74	13741	340/5.61, "5.92", "825.36", "825". S71.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S75	395676	342/118, "450", "451", "458".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:01
S76	2269	701/200, "207".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S77	512	705/22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:25
S78	1444	705/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:28
S79	3606	S73 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S80	159	S74 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31
S81	7088	S75 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31

S82	563	S76 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31
S83	3	S77 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:45
S84	31	S78 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:46
S85	103	S79 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S86	7	S80 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S87	210	S81 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S88	46	S82 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:44
S89	0	S83 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S90	2	S84 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S91	33477	device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:45

S92	4390	S91 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:45
S93	360176	S92 and distance nea4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S94	443	S92 and distance near4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S95	67	S94 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S96	0	S95 and elaspe adj time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S97	5859734	S95 and elaspe naer time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:47
S98	0	S95 and elaspe near time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:47
S99	0	S95 and elaspe near4 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:48
S10 0	32	S25 and diagnostic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:49
S10 1	99	S26 and diagnostic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:49

S10 2	10	S101 and configure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:52
S10 3	1760	340/903	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:53
S10 4	184	S103 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:04
S10 5	65	S104 and velocity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:56
S10 6	742	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S10 7	232	S106 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:14
S10 8	0	S107 and time near3 elaspe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:15
S10 9	21	S107 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:04
S11 0	8	S107 and time near3 elapse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:15
S11 1	12	(("6574104") or ("6747872") or ("6616004") or ("20030221821") or ("20040020225") or ("20040109288")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:06

S11 2	4	(("6694759") or ("6775997")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:13
S11 3	119	340/539.26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:56
S11 4	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S11 5	212890	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S11 6	212890	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S11 7	3891	S116 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S11 8	565	705/22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S11 9	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:36
S12 0	1575	705/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 1	35	S120 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59

S12 2	2	S121 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 3	503	smart adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 4	116	S123 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 5	14452	340/5.61, "5.92", "825.36", "825". S124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 6	416400	342/118, "450", "451", "458".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:01
S12 7	2534	701/200, "207".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S12 8	861	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S12 9	14452	340/5.61, "5.92", "825.36", "825". S124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 0	174	S129 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 1	8	S130 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03

S13 2	861	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:41
S13 3	290	S132 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 4	25	S133 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 5	25	S133 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:21
S13 6	667	340/902	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:22
S13 7	43	S136 and crosland	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:22
S13 8	19	("4443790").URPN.	USPAT	OR	OFF	2005/09/13 16:35
S13 9	36635	device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 0	4954	S139 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 1	511	S140 and distance near4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35

S14 2	74	S141 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 3	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:36
S14 4	1220	340/825.36, "825"".""49".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:42
S14 5	8	S144 and signal adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:44
S14 6	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:45
S14 7	35	S120 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:48
S14 8	143520	235/384, "385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:49
S14 9	1255	235/384, "385".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:49
S15 0	3	S149 and signal adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:51